



**ETHEKWINI MUNICIPALITY
COMMUNITY AND EMERGENCY SERVICES
HEALTH UNIT**

9 Archie Gumede Place
Durban 4001
P O Box 2443
Durban 4001
Tel: (031) 311 6834/30
Fax: (031) 311 3530
Website: <http://www.durban.org.za>

SCHEDULED ACTIVITIES PERMIT

In terms of Section 5.1 of the Schedule Activities Bylaws, 2019 for the eThekweni Municipality

ENVIROSERV WASTE MANAGEMENT (PTY) LTD
(Registration No. 2008/021152/07)

Is hereby authorised to undertake the under mentioned trade, business, occupation or calling, issued in accordance with the specified conditions relative to this permit

- | | |
|--------------------------------|--|
| A. Premises Address | : 1 Shongweni Dam Road, Shongweni |
| B. Registered Description | : Portion of Farm Kirkfall 14227, Shongweni |
| C. Nature of Trade/Occupation | : Waste material salvaging, collecting, sorting, storing, treating, Processing, or recycling or reclaiming. |
| D. Period of validity | : 5 Years (Shall be reviewed within two years as from date Of issue or at a time before or after that) |
| E. Expiry date | : 30th June 2026 |
| F. Particulars of raw material | : 1.Waste streams as permitted by the WML
12/9/11/L19101609 0639/4/R
2. Existing body of waste
3. Effluent treatment chemicals
4. PH treatment materials |
| G. Process to be carried out | : Transportation, storage, treatment, recovery and disposal of waste and associated by products including leachate, landfill gas extraction and the operation of pollution abatement systems |
| H. Product of such processes | : Treated and appropriately disposed waste. |
| I. Particulars of plant | : Transportation fleet and material handling equipment, Effluent Treatment Plant, Landfill Gas Extraction and Flaring System, BIDOX, Bio filter Plants, Emergency Standby Generator. |

PERMIT NO. SA 3064


NOTE

1. This certificate must be displayed in a prominent place within the premises at all times.
2. This permission will not relieve you of any obligation to comply with any other law, regulation or authorisations.
3. This permit may be suspended or withdrawn if the terms hereof are not complied with.
4. This permit will cease to be in effect on change of ownership or name of the permit holder.
5. The Municipality may call on you to conduct specialist studies, provide information, report or documentation in connection with the activities undertaken in terms of this Permit at any time should a need arise.



Mr S Naraindass

Manager: Environmental Health Services



Mrs R Van Heerden

Acting **Head: Health - eThekweni Health Unit**

PERMIT CONDITIONS
SCHEDULED ACTIVITIES BYLAWS

1. GENERAL CONDITIONS

- 1.1 Non-compliance with the requirements of this permit constitutes an offence. This permit may be suspended or withdrawn, or legal action may be instituted against the permit holder if the conditions specified herein are not complied with.
- 1.2 The site is to be constructed, operated and managed in accordance with relevant National, Provincial and Municipal Legislation and any authorisations or special consent issued in terms thereof.
- 1.3 No building, plant or works used by a permit holder shall be materially extended, altered or added to and no changes in process, procedures or significant production increases/throughputs that will significantly alter impacts may be undertaken without the prior approval of the permitting authority. This permit will cease to be of effect on change of ownership or name of the permit holder.
- 1.4 No gases, liquids, odours, vapours, dust, smoke, particulates, glare, noise or vibration shall be emitted which in the opinion of the permitting authority could cause a significant environmental impact, health risk or significant nuisance to the general public or employees of the Permittee.
- 1.5 Where adverse health, environmental impacts or nuisance are created, urgent corrective measures must be taken to contain or minimize the impacts through operational or engineering interventions. Remediation, if required shall be carried out to the satisfaction of the permitting authority and/or any other authorized governmental agencies.
- 1.6 Any incident which has the potential to create significant health, safety or environmental risk needs to be reported immediately to all relevant authorities.
- 1.7 The permitting authority reserves the right to set and amend the permit conditions, emission limit values or standards after consultation with the permit holder and taking into consideration information submitted, what is technically achievable, and justifiable on health and environmental grounds.
- 1.8 The Permit holder is required to identify and prioritize environmental projects and formulate a 5 year environmental improvement plan in line with the philosophy of continuous improvement and the optimisation of EnviroServ's operations. The environmental improvement project plan with associated timeframes must be submitted to the Permitting Authority by **1 June 2022**.
- 1.9 **Biannual Performance review meetings** shall be held with the permitting authority. The permit may be revoked if significant under-performance is noted.
- 1.10 On cessation of operations, the Permitting authority is to be notified and decommissioning of the site and associated plant must be conducted in terms of a rehabilitation plan submitted to and approved by various relevant government agencies.

- 1.11 The permit holder indemnifies the permitting authority from any claim, loss or damage arising from the permit holder's operations in relation to this permit.
- 1.12 The permit holder is obliged to ensure that any contractors/ sub-contractors act in compliance with the relevant terms of this permit and should there be any contravention by such sub-contractors, then the permit holder would be held accountable.
- 1.13 The permit holder must adhere to the duty of care obligations as set out in Section 28 of the National Environmental Management Act 107 of 1998 and failure to comply therewith constitutes a breach.
- 1.14 Security measures are to be in-place to ensure no unauthorised entry and scavenging is permitted.
- 1.15 An emergency standby generator is to be provided to ensure the continuity of electrical supply to all "essential services". The generator is to be maintained in accordance with manufacturer's specifications.
- 1.16 Temperature within the waste body must be continually monitored and any abnormal escalation in temperature is to be brought to the attention of the authorities immediately.
- 1.17 Should conditions on site deteriorate to levels where there are significant impacts on communities, in respect of health and nuisance, this permit may be suspended or withdrawn.

2. SPECIFIC REQUIREMENTS

2.1. ENVIRONMENTAL CONTROL /PERFORMANCE

2.1.1. AIR QUALITY

2.1.1.1 The permit holder must implement best practicable means to minimise or avoid any impacts arising from H₂S (or other gaseous pollutants which may be found to be at levels of concern) emissions from operations on site. It is noted that the National Department of Fisheries, Forestries and Environment (DFFE) is currently developing ambient standards for H₂S and these may be incorporated into the permit once promulgated.

2.1.1.2 H₂S emissions and other gaseous pollutants which may be found to be at levels of concern are to be monitored and managed to the satisfaction of the Head of Health.

2.1.1.3 SO₂ levels as measured in communities (by EnviroServ) must not lead to exceedances of limits stipulated in the NEM: AQA. This is with specific reference to the contribution made by the flare to ambient SO₂ concentrations.

2.1.1.4 An amended monitoring protocol for all emissions must be submitted to the Permitting Authority for consideration by the **31 September 2021**.

2.1.1.5 Passive monitoring measurements taken from and within surrounding communities must be analysed and the analysis thereof reported to the Permitting Authority on a quarterly basis.

2.1.1.6 Additional air quality monitoring requirements may be imposed should the need arise.

2.1.2. AIR QUALITY ABATEMENT SYSTEMS, MONITORING AND REPORTING REQUIREMENTS

2.1.2.1 BIO FILTER PERFORMANCE

Quarterly reports must be submitted including, but not limited to, the consideration of system component downtime and contingency measures during such periods and the effects and control of the following variables:

- a. Pressure drop
- b. Waste gas pre-treatment
- c. Residence time of the gas
- d. Reduced Sulphur loading rate
- e. Water quality and content of the bio-filter media
- f. pH of the bio-filter media
- g. Temperature of bio filter bed
- h. Sulphate Content
- i. Oxygen Content

2.1.2.1.1 Bio filters efficiency to be maintained at 80% and above at all times. An efficiency report to be submitted on a quarterly basis.

2.1.2.2 FLARE AND BIDOX PERFORMANCE

2.1.2.2.1 The air quality abatement system which incorporates a continuous monitoring system must include, but not be limited to, the parameters mentioned below. The results thereof must be submitted to the Permitting Authority on a **quarterly basis** where applicable:

- a. Flow rate;
- b. Oxygen concentration;
- c. Combustion temperature and retention time.
- d. Methane %;
- e. Carbon dioxide;
- f. Continuous burn, run time;
- g. Hydrogen sulphide.
- h. Other gaseous compounds

2.1.2.2.2 Any deviation from normal operational conditions must be reported immediately to the Permitting Authority.

2.1.2.2.3 Permit holder to conduct an Atmospheric Emissions assessment from the flare, annually and submit a report to the Permitting Authority. This report must include but not be limited to:

- a. Emission data
- b. Flow rate
- c. Local meteorological data

2.1.2.2.4 The operating Flare's full records should be available for inspection.

2.1.2.2.5 All results obtained should be formally interpreted and the interpretation and copy of the flare maintenance log must be submitted to the Permitting Authority.

2.1.2.2.6 The permit holder must ensure the correct and optimal operation and maintenance of the flaring system. The availability and efficiency of the flare must be reported monthly.

2.1.2.2.7 All abatement equipment to be maintained at or above 80% efficiency.

2.1.2.2.8 Monitoring and analysis equipment must be operated and maintained in accordance with the manufacturer's guidelines, so that all monitoring results accurately reflect any emission, discharging and environmental parameters.

2.1.2.2.9 All monitoring and analysis must be conducted in accordance with a documented protocol devised by a suitably qualified specialist.

2.1.2.2.10 A reviewed Air Quality Specialist report must be carried out by a suitably qualified person and submitted to the Permitting Authority within **6 months** of issue of this permit. This report must include a full emission inventory, modelling and include a review and recommendations pertaining to all abatement systems. The above must include, but not be limited to, consideration of the pollutants noted below:

- Volatile Organic Carbon material viz Benzene, Formaldehyde, Dioxins and Furans;
- Mercury both organic and inorganic;
- Reduced sulphur compounds viz H₂S, Methyl mercaptans, ethyl mercaptans and dimethyl disulphide.

2.1.2.2.11 A maintenance log for the standby Bio filter (Landfill gas Biofilter) must be available for inspection.

2.1.2.3 GAS EXTRACTION WELLS AND ASSOCIATED PIPEWORK

2.1.2.3.1 All extraction wells and associated pipework must be maintained to ensure optimal efficiency as per design specifications. In this regard, such systems must be inspected daily and any defects detected must be immediately corrected and also reported to the Permitting Authority. The operability of the system must be included in the report back meeting.

2.1.3 AMBIENT AIR QUALITY MONITORING AND METEOROLOGICAL REPORTING

2.1.3.1 The existing ambient air quality instruments must be operated and maintained in accordance with recognised and documented quality assurance procedures, such as the draft Norms and Standards for air quality monitoring as well as the SANAS TR-07-03. In this regard, an ambient monitoring protocol is to be developed and submitted to the Permitting Authority, which should highlight how quality assurance and quality control (QA/QC) will be embedded into the monitoring process.

2.1.3.2 A full quality assurance report for all monitoring equipment must be submitted to the Permitting Authority on a **quarterly basis**. This would include but not be limited to copies of calibration certificates as well as maintenance schedules and records, span and zero checks and the like.

2.1.3.3 Continuous ambient air quality monitoring (on and off site) must be maintained. The Permit holder must report to the Permitting Authority on a **biannual basis**. Real time access to data from these instruments must continue to be made available to Health Unit staff.

2.1.3.4 Non-continuous ambient air quality monitoring (Off site) must be maintained. The Permit holder must report to the Health Unit on a **quarterly basis**.

2.1.3.5 The Permit Holder is to ensure adequate quality control and assurance of data. Reasonable data availability must be achieved as per requirements of Draft Norms and Standards for air quality monitoring.

2.1.3.6 The Permit Holder must report in terms of the National Emission Inventory Reporting Regulations.

2.1.3.7 The reporting of criteria pollutants, reduced sulphur compounds, formaldehyde, dioxins and furans as well as mercury should be done on the National Atmospheric Emission Inventory System **annually before the end of March**.

2.2 DISPOSAL OF WASTE

- 2.2.1 Only waste as stipulated in the Waste Management licence may be accepted on site for treatment and disposal and any further decisions as taken by the Minister will need to be considered.
- 2.2.2 Maintain a correct CDR (Co-disposal ratio) as stipulated on Waste Management License.
- 2.2.3 No trenching into the existing waste body is allowed.
- 2.2.4 Chemical pre- treatment of waste must be done prior to landfilling (where required), to adjust pH and reduce odour. Caution must be exercised to ensure, treatment is not above accepted pH levels.
- 2.2.5 Odour from landfilling must be reduced by daily compacting and covering of waste.
- 2.2.6 The Permit holder must submit to the Permitting Authority the daily inventories of all waste accepted at the landfill, this must include, but not be limited to, source of waste, tonnage, treatment method and the like. This report is to be **submitted bimonthly**.
- 2.2.7 Brine from the Effluent Treatment Plant must be disposed of only after microencapsulation has been done and tested for moisture content.
- 2.2.8 Microencapsulation is to be conducted as per the Shongweni Management Plan. In the event there being any changes the Permitting Authority should be notified.
- 2.2.9 The permit holder must implement best practicable means to minimise impacts arising from Dust emissions from operations on site.
- 2.2.10 No contaminated storm water is to be recirculated into the waste body.
- 2.2.11 No leachate is to be recirculated into the waste body.
- 2.2.12 Any treated contaminated storm water disposed of at the Southern Waste Water Treatment works must comply with conditions as stipulated by the eThekweni Water and Sanitation Unit.

2.3 WATER QUALITY MONITORING

- 2.3.1 Water Quality Monitoring as per the Waste Management Licence must be conducted and the Permitting Authority must receive copies of these reports.

2.4 LEACHATE AND CONTAMINATED STORMWATER MANAGEMENT

- 2.4.1 Liquid management systems must be designed, managed and operated such that no negative impact is created to the environment.

- 2.4.2 Leachate must be disposed of at an approved disposal site and safe disposal certificates must be submitted to the department on a **bimonthly basis**.
- 2.4.3 Storage of leachate on site must be limited to prevent odour build-up.
- 2.4.4 An integrity review of all storage tanks and associated infrastructure must be undertaken by an approved authority by the **30 June 2022** and every five years thereafter. All recommendations should be implemented immediately.
- 2.4.5 Leak detection and repair programme must be developed and implemented by **30 June 2022**.
- 2.4.6 A safety data sheet of all chemicals used for the treatment of leachate must be kept on site and updated regularly. The hard copy must be easily accessible to all employees.
- 2.4.7 Any requirements set out by relevant State departments as they pertain to leachate must be complied with in full.
- 2.4.8 Effluent treatment plant operations must ensure that noise levels do not exceed the applicable noise standards.
- 2.4.9 Effluent treatment and disposal are to be such that adequate freeboard is maintained in dams and tanks to comply with the Waste Management Licence.
- 2.4.10 The permit holder must report on a **monthly** basis the leachate generated (volumes) and must include temperature, pH, BOD, COD, phenols, total sulphur, sulphates, sulphites, sulphides and thiosulphates.
- 2.4.11 The permit holder must have in place a contingency plan to cater for periods of high precipitation so as to ensure no uncontrolled leachate discharges into the environment occur.
- 2.4.12 The Permit Holder is required to submit a **quarterly report** to the Permitting Authority regarding the volumes of leachate generated onsite and the management and disposal thereof including the certificates of safe disposal.

3. COMPLAINTS MANAGEMENT

- 3.1 Any complaints logged to the permit holder's complaints line or any other reporting method/media must be submitted to the Permitting Authority within 24 hours of receipt.

The Permit Holder must furthermore:

- 3.2 Consolidate all complaints into a monthly report which is to be submitted to the Permitting Authority.
- 3.3 Investigate operations at the time of receiving the complaint, prevailing meteorological conditions and where possible investigate the complaint received. The findings of these investigations must be captured on the complaints log.

4. OCCUPATIONAL HEALTH AND SAFETY

- 4.1 A full Occupational Health and Safety Programme must be maintained in terms of the Occupational Health and Safety Act and Regulations.
- 4.2 Any adverse OHS issues must be notified to the Department of Labour as well as the Permitting Authority immediately.

5. EMERGENCY PREPAREDNESS AND ABNORMAL OPERATING CONDITIONS

5.1 Permit Holders Actions Required in Event of an Incident

Section 30 of the National Environmental Management Act 107 of 1998 (as amended by the National Environmental Management Amendment Act 30 of 2013) defines an incident as “an unexpected sudden and uncontrolled release of a hazardous substance, including from a major emission, fire or explosion, that causes, has caused or may cause significant harm to the environment, human life or property.”

- 5.2 In the event of an incident, Section 30(3) of the National Environmental Management Act requires the Permit Holder forthwith, after knowledge of the incident, to report such incident to the Emergency Call Centre (031-361 0000). Should such incidences pose a significant health risk or nuisance, notification of the incident is to be immediate. The report must include:

- 5.2.1 The nature of the incident;
- 5.2.2 Any risks posed by the incident to public health, safety and property;
- 5.2.3 The toxicity of substances released;
- 5.2.4 Any steps that should be taken in order to minimize the effects of the pollution on the public health and the environment.

Furthermore, the Permit Holder must:-

- 5.2.5 Take all reasonable measures to contain and minimize the effects of the incident on the environment, and manage risks to health, safety and property;
- 5.2.6 Undertake clean up procedures;
- 5.2.7 Remedy the effects of the pollution;
- 5.2.8 Assess the immediate and long-term effects of the incident on the environment and public health.

5.3 Incident reporting

Within **14 days of an incident**, the Permit Holder must submit a further detailed report with the following information:

- 5.3.1 The nature of the incident;
- 5.3.2 Substances involved, quantities released, toxicity data;
- 5.3.3 Initial measures taken to minimize impacts;
- 5.3.4 Detailed description of causes of the incident;
- 5.3.5 Measures taken and proposed to prevent a recurrence

- 5.4 The Permit Holder shall formulate and maintain an internal emergency preparedness plan for acute pollution. All risks identified in the plan must be systematically managed using one of the following approaches:
- 5.5 Environmental Management procedures; and/ or a contingency plan to reduce the probability of an incident or minimize the impact of the incident through an efficient and effective emergency response plan. This should include, as a minimum, a description of responsible personnel, their expertise, contact numbers, response procedures, staff training programmes and personal protective equipment. A list of material and equipment used in the event of acute pollution for containment, clean-up, response or prevention must be available for inspection.
- 5.6 Exercise drills to train staff in their response to acute pollution scenarios shall be conducted at least on an annual basis. The Permit Authority shall be informed of the date and time of such exercise drills.

6. WASTE TRANSPORTATION

- 6.1 All vehicles used for transporting waste/ leachate must be road worthy, purpose designed and approved in terms of relevant legislation.
- 6.2 The vehicle or containers used for conveying waste shall be so constructed as to obviate any spillages or negative impact during transportation.
- 6.3 All vehicles, skips, hoppers etc., to clearly display the permit holder's name.
- 6.4 Approved pre-planned procedures must be implemented in the event of transportation accidents and spillages. Documentation in this regard must be readily available on site.
- 6.5 All vehicle washing/ cleansing must be undertaken at the approved/ dedicated wash bay and the wash bay is to be maintained in a clean condition at all times.
- 6.6 Ensure full compliance with the National Road Traffic Act, 1996 (Act 93 of 1996) and SANS 10231, 10232, 10228 and 10229 where applicable.

7. ENVIRONMENTAL NOISE

- 7.1 The permit holder's local contribution in terms of environmental noise shall not exceed the noise levels as detailed in SANS 10103; 2008 measured at the nearest residential dwelling.
- 7.2 The permit holder may be required to undertake environmental noise measurements in terms of the relevant legislation and codes of practices – SANS 10103:2008 and report thereon to the Permitting authority.
- 7.3 Acute noise complaints are to be investigated and reported to the Permitting authority on a **monthly basis**.

8. SPECIFIC REQUIREMENTS OF HEAD: FIRE & EMERGENCY SERVICES

Ensure all fire and emergency equipment are serviced annually.

9. SPECIFIC REQUIREMENTS OF THE HEAD: DEVELOPMENT AND PLANNING
9.1 Nil

10. SPECIFIC REQUIREMENTS OF THE HEAD: WATER AND SANITATION

- 10.1 Complying with standards applicable for the disposal of treated contaminated storm water to an approved municipal facility;
- 10.2 Meeting the requirements and conditions of the Trade Effluent Permit as issued to EnviroServ.

11. REPORTING SYSTEMS

- 11.1 The permit holder is required to submit reports as detailed in sections:-
- a) 1.8, 1.9, 1.16;
 - b) 2.1.1.4, 2.1.2.1, 2.1.2.1.1, 2.1.2.2.1, 2.1.2.2.10;
 - c) 2.1.3.2, 2.1.3.3, 2.1.3.4, 2.1.3.7,
 - d) 2.2.6,
 - e) 2.4.2, 2.4.4, 2.4.5, 2.4.10, 2.4.12 ;
 - f) 5.2, 5.3;
 - g) 7.3



Mr S Naraindass
Manager: Environmental Health Services
EThekwini Health Unit: Sub District West

30/6/2021
Date



Mrs R Van Heerden
Head: Health
EThekwini Health Unit

2021/06/30
Date